

11321-P013WOUS

PATENT

IN THE CLAIMS

1-18 (Cancelled)

19. (Original) A method for derivatizing a sidewall of a single wall carbon nanotube comprising reacting the single wall carbon nanotube with a fluorinating agent to bond fluorine to the sidewall of the nanotube.

20. (Original) The method of claim 19, wherein the fluorinating agent is selected from the group consisting of fluorine, XeF₂, XeF₄, ClF₃, BrF₃, IF₅, AgF₂, and MnF₃.

21. (Amended) The method of claim 19, wherein the single wall carbon nanotube is reacted with the fluorinating agent at a reaction temperature ~~up to~~ between about ~~500°C~~ 150°C and about 400°C.

22. (Original) The method of claim 19, wherein the single wall carbon nanotube is reacted with the fluorinating agent at a reaction temperature between about 250°C and about 400°C.

C 23. (Original) The method of claim 19, wherein the amount of fluorine bonded to carbon atoms of the single wall carbon nanotube is at a fluorine to carbon ratio of from (a) one fluorine atom to about 26 carbon atoms to (b) one fluorine atom to about two carbon atoms.

24. (Original) The method of claim 23, wherein the amount of fluorine bonded to the carbon atoms of the single wall carbon nanotube is at the fluorine to carbon ratio of from (a) one fluorine atom to about ten carbon atoms to (b) one fluorine atom to about two carbon atoms.

25. (Original) The method of claim 24, wherein the amount of fluorine bonded to the carbon atoms of the single wall carbon nanotube is at the fluorine to carbon ratio of from (a) one fluorine atom to about three carbon atoms to (b) one fluorine atom to about two carbon atoms.

26. (Original) A method for derivatizing sidewalls of single wall carbon nanotubes comprising:

(i) selecting a fluorinating agent from the group consisting of fluorine, XeF₂, XeF₄, ClF₃, BrF₃, IF₅, AgF₂, and MnF₃;

(ii) reacting the single wall carbon nanotubes with the fluorinating agent at a reaction temperature up to about 500°C; and

11321-P013WOUS

PATENT

(iii) producing single wall carbon nanotubes having fluorine covalently bonded to the sidewalls of the single wall carbon nanotubes.

27. (Original) The method of claim 26 wherein the amount of fluorine bonded to carbon atoms of the single wall carbon nanotubes is at a fluorine to carbon ratio of from (a) one fluorine atom to about 26 carbon atoms to (b) one fluorine atom to about two carbon atoms.

28. (Original) The method of claim 27 wherein the amount of fluorine bonded to the carbon atoms of the single wall carbon nanotubes is at the fluorine to carbon ratio of from (a) one fluorine atom to about ten carbon atoms to (b) one fluorine atom to about two carbon atoms.

29. (Original) The method of claim 27 wherein the amount of fluorine bonded to the carbon atoms of the single wall carbon nanotubes is at the fluorine to carbon ratio of from (a) one fluorine atom to about three carbon atoms to (b) one fluorine atom to about two carbon atoms.

30. (Amended) The method of claim 26 wherein the reaction temperature is between about 250°C 150°C and about 400°C.

C 31. (Original) A method for derivatizing sidewalls of single wall carbon nanotubes comprising:

(i) reacting single wall carbon nanotubes with a fluorinating agent, wherein the fluorinating agent is selected from the group consisting of fluorine, XeF₂, XeF₄, ClF₃, BrF₃, IF₅, AgF₂, and MnF₃, and

(ii) producing single wall carbon nanotubes having fluorine covalently bonded to the sidewall, wherein the single wall carbon nanotubes generally have a length from about 5 nm to about 10,000 nm.

32. (Original) The method of claim 31 wherein the single wall carbon nanotubes have a length from about 5 nm to about 500 nm.

33. (Original) A method to vary the conductivity of single wall carbon nanotubes comprising the step of controlling the degree of fluorination of the carbon nanotube.

34. (Original) A single wall carbon nanotube having fluorine covalently bonded to the carbon atoms of a sidewall of the single wall carbon nanotube.

11321-P013WOUS

PATENT

35. (Original) The single wall carbon nanotube of claim 34, wherein the amount of fluorine covalently bonded to carbon atoms of the single wall carbon nanotube is at a fluorine to carbon ratio of from (a) one fluorine atom to about 26 carbon atoms to (b) one fluorine atom to about two carbon atoms.

36. (Original) The single wall carbon nanotube of claim 35, wherein the amount of fluorine covalently bonded to the carbon atoms of the single wall carbon nanotube is at the fluorine to carbon ratio of from (a) one fluorine atom to about ten carbon atoms to (b) one fluorine atom to about two carbon atoms.

37. (Original) The single wall carbon nanotube of claim 36, wherein the amount of fluorine covalently bonded to the carbon atoms of the single wall carbon nanotube is at the fluorine to carbon ratio of from (a) one fluorine atom to about three carbon atoms to (b) one fluorine atom to about two carbon atoms.

38. (Amended) The A product made by the process of reacting single wall carbon nanotubes with a fluorinating agent to covalently bond fluorine to the sidewalls of the single wall carbon nanotubes.

39. (Original) The product of claim 38, wherein the fluorinating agent is selected from the group consisting of fluorine, XeF₂, XeF₄, ClF₃, BrF₃, IF₅, AgF₂, and MnF₃.

40. (Original) The product of claim 38, wherein the single wall carbon nanotube is reacted with the fluorinating agent at a reaction temperature between about 150°C and up to about 500°C.

41. (Original) The product of claim 38, wherein the single wall carbon nanotube is reacted with the fluorinating agent at a reaction temperature between about 250°C and about 400°C.

11321-P013WOUS

PATENT

42. (Original) The product of claim 38, wherein the amount of fluorine covalently bonded to carbon atoms of the single wall carbon nanotubes is at a fluorine to carbon ratio of from (a) one fluorine atom to about 26 carbon atoms to (b) one fluorine atom to about two carbon atoms.

43. (Original) The product of claim 42, wherein the amount of fluorine covalently bonded to the carbon atoms of the single wall carbon nanotubes is at the fluorine to carbon ratio of from (a) one fluorine atom to about ten carbon atoms to (b) one fluorine atom to about two carbon atoms.

44. (Original) The product of claim 43, wherein the amount of fluorine covalently bonded to the carbon atoms of the single wall carbon nanotubes is at the fluorine to carbon ratio of from (a) one fluorine atom to about three carbon atoms to (b) one fluorine atom to about two carbon atoms.

45. (Original) A product made by the process comprising the steps of:

(i) selecting a fluorinating agent from the group consisting of fluorine, XeF_2 , XeF_4 , ClF_3 , BrF_3 , IF_5 , AgF_2 , and MnF_3 .

(ii) reacting single wall carbon nanotubes with the fluorinating agent at a reaction temperature up to about 500°C ; and

(iii) producing single wall carbon nanotubes having fluorine covalently bonded to the sidewalls of the single wall carbon nanotubes.

46. (Original) The product of claim 45, wherein the amount of fluorine bonded to carbon atoms of the single wall carbon nanotubes is at a fluorine to carbon ratio of from (a) one fluorine atom to about 26 carbon atoms to (b) one fluorine atom to about two carbon atoms.

47. (Original) The product of claim 46, wherein the amount of fluorine bonded to the carbon atoms of the single wall carbon nanotubes is at the fluorine to carbon ratio of from (a) one fluorine atom to about ten carbon atoms to (b) one fluorine atom to about two carbon atoms.

48. (Original) The product of claim 47, wherein the amount of fluorine bonded to the carbon atoms of the single wall carbon nanotubes is at the fluorine to carbon ratio of from (a) one fluorine atom to about three carbon atoms to (b) one fluorine atom to about two carbon atoms.

49. (Original) The product of claim 45, wherein the reaction temperature is between about 250°C and about 400°C .

11321-P013WOUS

PATENT

50. (Original) A product made by the process comprising:

(i) reacting single wall carbon nanotubes with a fluorinating agent, wherein the fluorinating agent is selected from the group consisting of fluorine, XeF_2 , XeF_4 , ClF_3 , BrF_3 , IF_5 , AgF_2 , and MnF_3 ; and

(ii) producing single wall carbon nanotubes having fluorine covalently bonded to the sidewall, wherein the single wall carbon nanotubes generally have a length from about 5 nm to about 10,000 nm.

51. (Amended) The product of claim 49 50, wherein the single wall carbon nanotubes have a length from about 5 nm to about 500 nm.
